

Analysis of Intra-Team Strategies for Teams Negotiating Against Competitor, Matchers, and Conceders

Victor Sanchez-Anguix
Universitat Politecnica de
Valencia
Cami de Vera s/n, 46022,
Valencia, Spain
sanguix@dsic.upv.es

Vicente Julian
Universitat Politecnica de
Valencia
Cami de Vera s/n, 46022,
Valencia, Spain
vinglada@dsic.upv.es

Reyhan Aydoğan
Interactive Intelligence Group
Delft University of Technology
Delft, The Netherlands
R.Aydogan@tudelft.nl

Catholijn M. Jonker
Interactive Intelligence Group
Delft University of Technology
Delft, The Netherlands
C.M.Jonker@tudelft.nl

ABSTRACT

Under some circumstances, a group of individuals may need to negotiate together as a *negotiation team* against another party. Unlike bilateral negotiation between two individuals, this type of negotiations entail to adopt an intra-team strategy for negotiation teams in order to make team decisions and accordingly negotiate with the opponent. It is crucial to be able to negotiate successfully with heterogeneous opponents since opponents' negotiation strategy and behavior may vary in an open environment. While one opponent might collaborate and concede over time, another may not be inclined to concede. This paper analyzes the performance of recently proposed intra-team strategies for negotiation teams against different categories of opponents: *competitors*, *matchers*, and *conceders*. Furthermore, it provides an extension of the negotiation tool GENIUS for negotiation teams in bilateral settings. Consequently, this work facilitates research in negotiation teams.

Categories and Subject Descriptors

I.2.11 [Distributed Artificial Intelligence]: Multiagent Systems

General Terms

Algorithms, Experimentation

Keywords

Negotiation Teams, Collective Decision Making, Agreement Technologies

1. INTRODUCTION

A negotiation team is a group of two or more interdependent individuals that join together as a single negotiation party because they share some common goals related to the negotiation at hand [15, 3]. This kind of party participates in many real life situations like the negotiation between a married couple and a house seller, the negotiation between a group of traveling friends and a booking agency, and the negotiation between two or more organizations. Despite acting as a single party, most of the time negotiation teams cannot be considered as a unitary player. As a matter of fact, team members may have different and conflicting preferences that need to be conciliated when making a team decision regarding the negotiation. Agent-based negotiation teams (ABNT) constitutes a novel topic of research in automated negotiation, where efforts in the last few years focused mostly on bilateral and multiparty negotiations with unitary players [8, 5, 10, 6]. Mechanisms that allow ABNT to take decisions on the negotiation process, namely intra-team strategies or team dynamics [13, 12], are needed in order to support multi-agent systems for complex applications like group travel markets, group buying in electronic commerce, and negotiations between agent organizations (e.g., organizational merging). An intra-team strategy for a specific negotiation protocol (e.g., alternating bilateral negotiation protocol) defines *what* decisions are taken by the negotiation team, and *how* and *when* those decisions are taken.

Although there are some studies investigating negotiation among team members [14], automated negotiation between a team and an opponent is open to research. Sanchez-Anguix *et al.* have proposed several intra-team strategies [13, 12] for ABNT following the alternating-offers protocol in a bilateral setting. The proposed intra-team strategies have been studied under different environmental conditions to assess the most appropriate intra-team strategy with respect to the given environmental setting [13]. However, several assumptions regarding the opponent exist. For instance, it is assumed that the opponent employs a time-based concession tactics such as Boulware or Conceder[4] in a co-

operative context. Nevertheless, these assumptions might become inconsistent with some opponents in open and dynamic environment. For instance, an opponent may adopt a strategy like “take it or leave it” while another opponent may choose to observe other negotiating agent’s behavior and concede accordingly. An immediate question is which intra-team strategies will negotiate well against other types of opponents different than those using time-based tactics.

Without a doubt, an opponent’s negotiation attitude may affect on the performance of intra-team strategies. Opponent’s behavior is not limited to classic time-based concession strategies. Baarslag *et al.* classify the negotiation strategies according to their negotiation behavior against the opponent into four categories [2]. These are inverters, conceders, competitors and matchers. Conceders always concede regardless of the opponent’s strategy, while competitors do not yield independently of the behavior shown by opponents. A matcher mimics its opponent’s behavior while inverter inverts it. When the opponent concedes, the matcher would concede accordingly while the inverter would not. Based on this classification, we investigate how intra-team strategies proposed in the literature perform against opponents belonging to different families of negotiation strategies. To do this, we extend GENIUS [11] to allow negotiation teams and enable it to perform bilateral negotiations between a team (a group of agents) and an individual agent. The contributions of this paper do not solely focus on the study of intra-team strategies’ performance against different types of opponent, but we also describe how GENIUS has been modified to support such negotiations. This extension will allow researchers to (i) design and test domain independent intra-team strategies, which is desirable given the increasing number of application domains for automated negotiation; (ii) engage negotiation teams in open environments where any kind of opponent behavior is possible; (iii) make use of a wide repository of negotiation domains, utility functions, and automated negotiators; (iv) focus on the design of intra-team strategies, while leaving simulation aspects to be governed by GENIUS.

Our contributions are two-folds. First, we extend GENIUS to support ABNT; thus GENIUS can facilitate research on ABNT. Second, we analyze the performance of different intra-team strategies proposed by Sanchez-Anguix *et al.* against different types of heterogeneous opponents. The rest of this paper is organized as follows. First, we present our general framework. After that, we briefly introduce the intra-team strategies analyzed in this paper. Then, we describe how the extension has been included inside the GENIUS framework. Then, we describe how the experiments were carried out and present and discuss the results of the experiments. Finally, we describe our future work and briefly conclude this work.

2. GENERAL FRAMEWORK

In our framework, one negotiation team is involved in a negotiation with an opponent. Independently of whether or not the other party is also a team, both parties interact with each other by means of the alternating-offers protocol. Team dynamics or intra-team strategies define *what* decisions have to be taken by a negotiation team, *how* those decisions are taken, and *when* those decisions are taken. In a bilateral negotiation between a team and an opponent,




Figure 1: This picture shows our general negotiation framework.

the decisions that must be taken are which offers are sent to the opponent, and whether or not opponent’s offers are accepted. A general view of our framework is represented in Fig. 1. Dashed lines depict communications inside the team, while others represent communications with the opponent.

A team A is formed by a team mediator TM_A and team members a_i . The team mediator communicates with the other party following the alternating offers protocol and team members communicate with the team mediator. Communications between the team and the opponent are carried out by means of the team mediator. This mediator sends team decisions to the opponent and receives, and later broadcasts, decisions from the opponent to team members. Thus, the fact that the opponent is communicating with a team is not known by the opponent, which only interacts with the trusted mediator. In this framework, the mechanisms employed by the team to decide on which offers to send and whether or not accept offers are carried out during the negotiation process itself. How these decisions are taken depends on the specific intra-team strategy that is implemented by the team and the team mediator. Each team mediator can implement its own intra-team protocol to coordinate team members as long as team members know how to play such intra-team protocol. It should be noted that we assume that team membership remains static during the negotiation process. Thus, members do not leave/enter the team as the negotiation is being carried out. It is acknowledged that team members may leave or join the group in certain specific situations. However, membership dynamics is not considered in this article, and it is designated as future work.

3. INTRA-TEAM STRATEGIES

In this section we briefly describe the intra-team strategies proposed by Sanchez-Anguix *et al.* [13, 12] that are the focus of our study. These intra-team strategies have been selected according to the minimum level of unanimity that they are able to guarantee regarding each team decision: no unanimity guaranteed (representative), majority/plurality (similarly simple voting), and unanimity (full unanimity mediated).

3.1 Representative (RE)

The intra-team protocol employed by the representative intra-team strategy is the simplest possible strategy for a negotiation team. Basically, one of the team members is selected as




Figure 2: Screenshot showing the menu for configuring a team negotiation session.

representative and acts on behalf of the team. Interactions among team members are non-existent, and therefore, every decision is taken by the representative according to its own criterion. Obviously, the performance of the team will be determined by the similarity among the team members' utility functions and the negotiation skills of the representative. It is expected that if team members' utility functions are very similar and the representative negotiation strategy is appropriate, the team performance will be reasonably good.

The mechanism used by the team to select its representative may vary depending on the domain: trust, past experiences, rational voting based on who is more similar to oneself, etc. Since GENIUS is a general simulation framework, a random team member is selected as representative. This random team member will receive the messages from the opponent and act accordingly by sending an offer/counter-offer or accepting the opponent's offer. Generally, any GENIUS agent that knows how to play the alternating bilateral game can act as representative.

3.2 Similarity Simple Voting (SSV)

The similarity simple voting intra-team strategy relies on voting processes to decide on which offer is proposed and whether or not the opponent's offer is accepted. Being based on voting, the strategy requires the action of team members and team coordination by means of a mediator. The intra-team strategy goes as follows every round:

- Accept/Reject opponents' offer: The team mediator receives an offer from the other party. Then, the mediator broadcasts this offer to the team members, in-

dicating that it comes from the opponent party. The team mediator opens a voting process, where each team member should respond to the mediator with an Accept or Reject depending on the acceptability of the offer from the point of view of the team member. The team mediator gathers the responses from every team member and applies a majority rule. If the number of Accept actions received from team members is greater than half the size of the team, the offer is accepted and the corresponding Accept action is sent to the opponent. Otherwise, the team mediator starts the offer proposal mechanism.

- Offer Proposal: Each team member is allowed to propose an offer to be sent. This offer is communicated solely to the mediator, who will make public the offers, and start a voting process. In this voting process, each team member must state whether or not he considers it acceptable for each of the offers proposed. For instance, if three different offers (x_1, x_2, x_3) have been proposed, the team members should state about the acceptability of the three of them: e.g., *(yes, no, yes)*. The mediator applies a plurality rule to determine the most supported offer, which is the one that is sent to the opponent.

Standard team members for SSV employ time tactics to decide on the acceptance/rejection of the opponent's offer, and the offer proposal. More specifically, the current aspiration for team members follows the next expression [10]:

$$s_{a_i}(t) = 1 - (1 - RU_{a_i}) \left(\frac{t}{T_A}\right)^{1/\beta_{a_i}} \quad (1)$$

where $s_{a_i}(t)$ is the utility demanded by the team member at time t , RU_{a_i} is the reservation utility for the agent, T_A is the team's deadline, and β_{a_i} is the concession speed. When $\beta_{a_i} < 1$ we have a classic Boulware strategy, when $\beta_{a_i} = 1$ we have a linear concession, and when $\beta_{a_i} > 1$ we have a conceiver strategy. On the one hand a team members considers an opponent's offer as acceptable if it reports a utility which is greater than or equal to $s_{a_i}(t)$. On the other hand, a team member considers an offer proposed by a teammate acceptable if it reports a utility which is greater than or equal to the utility of the offer that he proposed to the team in the same round. As for the offer proposed to the team, team members attempt to select the offer from the iso-utility curve which is closer to the last opponent's offer and the offer sent by the team in the last round (similarity heuristic based on euclidean distance).

3.3 Full Unanimity Mediated (FUM)

FUM is capable of reaching unanimous decisions as long as the negotiation domain is composed by predictable issues whose type of valuation function is the same for team members (e.g., either monotonically increasing or decreasing). The type of unanimity that it is capable of guaranteeing is strict in the sense that every decision reports a utility which is greater than or equal to the current aspiration level of each team member [12]. The team mediator governs intra-team interactions as follows:

- **Accept/Reject opponents' offer:** The interaction protocol followed by the team in this decision is the same as the one presented in SSV. However, the decision rule applied by the team mediator in this case is unanimity. Therefore, an opponent offer is only accepted if it is acceptable to each team member.
- **Offer Proposal:** Every team member is involved in the offer proposal, which consists in an iterated process where the offer is built attribute per attribute. The mediator starts the iterated building process with an empty partial offer (no attribute is set). Then, he selects the first attribute to be set following an agenda. The mediator makes public the current partial offer and the attribute that needs to be set. Each active team member states privately to the mediator the value that he wants for the requested issue. When all of the responses have been gathered, the mediator aggregates the values sent by team members using the max (monotonically increasing valuation function) or min (monotonically decreasing valuation function) and makes public among active team members the new partial offer. Since it is assumed that team members share the same type of valuation function for predictable attributes, increasing the welfare of one of the members results in other team members increasing their welfare or staying at the same utility. Then, each active team member must evaluate the partial offer and state if the partial offer is acceptable at the current state (Accept or Reject action). Those team members that respond with an Accept action are no longer considered active in the current construction process. The team mediator selects the next attribute in the agenda and follows the same process until all of the attributes have been set or until there are no more active team members

(the rest of the attributes are maximized to match the opponent's preferences). It should be said that the agenda of attributes is set by the mediator observing the concessions from the opponent in the first interactions. Following a rational criteria, the opponent should have conceded less in the most important attributes in the first negotiation rounds. The amount of concession in each attribute during the first rounds is summed up and an attribute agenda is inferred at each round. The first attributes in the agenda are those inferred as less important for the opponent (more amount of concession), whereas the last attributes in the agenda are those considered more important for the opponent. The heuristic behind this agenda and iterated building process is attempting to satisfy team members first with those attributes less important for the opponent.

As for the standard team member behavior, team members have their demands governed by an individual time-based concession tactic like the one in Equation 1. In the iterated building process, each team member requests the attribute value which, given the current partial offer, makes the partial offer closer to its current demands $s_{a_i}(t)$. Additionally, a partial offer is acceptable when, considering only those attributes that have been set, the partial offer reports a partial utility which is greater than or equal to the current demands of the team member. Each team members considers an opponent offer acceptable when it has a utility which is greater or equal than its current demands $s_{a_i}(t)$.

4. IMPLEMENTATION IN GENIUS

GENIUS [11] is a well-known negotiation simulation framework. It supports simulation of sessions and tournaments based on bilateral negotiations. Users are able to design their own agents and test them against a wide variety of different agents designed by the community. The framework provides information critical for analysis (e.g., utility, Pareto optimality, etc.) which is extremely useful for research tasks. Moreover, the use of GENIUS as a testbed for bilateral negotiations is testified by its use in the annual automated negotiating agent competition (ANAC) [1]. The ANAC competition provided GENIUS with a large repository of agents. The repository of available agents contains conceiver, inverter, matcher, and competitor agents. The integration of ABNT in GENIUS additionally facilitates the following objectives:

- The framework includes several negotiation domains and utility functions for test purposes. Even though most of these domains are thought for bilateral negotiations with unitary players, it is possible to add new negotiation domains and utility functions in an easy way. In fact, we are in the process of adding new team negotiation domains (i.e., advanced hotel group booking) besides the one employed for the experiments of this paper (i.e., hotel group booking, see Section 5.2).
- The use of GENIUS in ANAC has provided with wide variety of conceiver, matcher, inverter and competitor opponents. Previous research in ABNT had only considered opponents with time-based tactics [13].

- Current research in ABNT has only considered team members following the same kind of homogeneous behavior inside the intra-team strategy, which may not be the case in some open environments. Due to its open nature, GENIUS may be able to simulate ABNT whose team members are heterogeneous since they have been designed by different scholars.
- GENIUS is a consolidated testbed among the agent community. Thus, the inclusion of ABNT inside GENIUS can facilitate research on ABNT by other scholars, and even give room to a future negotiating competition involving teams.
- Researchers can either design new team members for teams following the intra-team protocols included in the framework (i.e., team mediators), or they can design new intra-team protocols and team members.

In order to implement negotiation teams, two new classes have been introduced in GENIUS: *TeamMediator* and *TeamMember*. These two classes can be extended by users to include new intra-team strategies and types of team members in the system. Next, we depict the main traits of these classes, and how they can be used to include new features in GENIUS:

- *TeamMember*: Team members extend the *Agent* class, so they have all of their methods available. Actions that come from the opponent party are received by the *ReceiveMessage* method, whereas actions that come from the team mediator are received in the *ReceiveTeamMessage* method. The method *chooseAction* is used to decide the agent’s action independently of whether or not the next action involves communications with the team mediator or the opponent.
- *TeamMediator*: The team mediator is the agent that communicates with the opponent party, and transmits opponent’s decisions to the team members. Thus, it has access to the public interface of all of the team members. Depending on the kind of intra-team strategy, the mediator also coordinates other processes like voting mechanisms, offer proposal mechanisms, and so forth. As the *Agent* class, it receives communications from opponent by the *ReceiveMessage* method. In the *chooseAction* method, the mediator can either directly send a decision to the opponent, or communicate with team members to decide the next action to be taken. When interacting with team members, the mediator uses the *ReceiveTeamMessage* method in team members’ API to send messages to team members. Team members can respond to the mediator with the *chooseAction* method in their public API. The *TeamMediator* class is completely flexible, as the only mandatory action is receiving opponent’s decisions and sending decisions to the other party. Therefore, any kind of mediated communication protocol can be implemented extending the *TeamMediator* class.

Of course, it should be noted that team members and team mediators are tightly coupled. For a team member to participate in a negotiation team governed by a specific mediator,

the team members should know the intra-team communication protocol implemented by such mediator.

GENIUS provides several measures to assess the quality of negotiating agents. The current version of GENIUS is capable of running team negotiation sessions between two parties and provide online information about the minimum utility of team members, the average utility of team members, the maximum utility of team members, the joint utility of team members, current round, and current negotiation time for each offer exchanged between both parties. A screenshot of the environment being configured for a team negotiation session can be observed in Fig. 2. In the upper part of the menu, the user can select the intra-team strategies to be used by each party, whereas the user add and remove team members for each party in the lower part of the menu.

5. EXPERIMENTS AND RESULTS

As stated in the Section 1, one of the purposes of this paper is assessing the performance of intra-team strategies against negotiation strategies different from classic time-based tactics. With that purpose, we tested RE, SSV and FUM against agents from the ANAC 2010 competition who have been previously classified into competitors, conceders, and matchers¹ [2]. First, we briefly describe the agents that we selected from the agent competition to represent the different families of negotiation strategies. Then, we introduce the negotiation domain used for the experiments. After that, we describe how the experiments were carried out, and, finally, we show and analyze the results of the experiments.

5.1 ANAC 2010 Agents

In this section we present the different ANAC 2010 agents employed for our experiments. These agents pertain to three of the four categories presented previously: matchers, conceders, competitors.

- IAMHaggler & IAMCrazyHaggler [17, 1]: On the one hand, IAMCrazyHaggler is basically a take-or-leave it agent that proposes offers over a high threshold. The only aspect taken into consideration for accepting an offer is the utility of such offer, and not time. Due to this behavior, the experiments carried out in [2] classified IAMCrazyHaggler as the most competitive strategy in the ANAC 2010 competition. On the other hand, IAMHaggler is a much more complicated agent. It employs Bayesian learning and non-linear regression to attempt to model the opponent party and updates its acceptance threshold based on information like time, the model of the opponent, and so forth. It was classified as a competitor agent in the experiments carried out in [2]
- Agent Smith [16, 1]: This agent is a conceiver agent [2] that starts by demanding the highest utility for himself and slowly concedes to attempt to satisfy the preferences of the opponent by means of a learning heuristic. When the timeline is approaching two minutes, it proposes the best offer received up until that moment in an effort to finish the negotiation.

¹Because of the technical inconsistencies, we could not use ANAC’s inverters directly in our settings. Thus, they are not included in this analysis.

- Agent K [9, 1]: This agent was the winner of the ANAC 2010 competition. It uses a proposal mechanism that attempts to send offers with a certain proposal utility, which is slightly lowered as the negotiation process advances. If an offer has been proposed by the opponent that satisfies such threshold, it is sent back since, rationally, it should be also good enough for the opponent. The acceptance strategy employs a complex mechanism that attempts to model the best utility proposed by the opponent in the negotiation by the observation of all the proposed offers. In [2], Agent K was classified as a competitor agent.
- Nice Tit-for-Tat [7, 2]: This strategy does not belong to ANAC 2010, but it is the only matcher strategy available in the repository as far as we are know.

5.2 Test Domain: Hotel Group Booking

A group of friends who have decided to spend their holidays together has to book accommodation for their stay. Their destination is Rome, and they want to spend a whole week. The group of agents engages in a negotiation with a well-known hotel in their city of destination. Both parties have to negotiate the following issues:

- Price per person (*pp*): The price per person to pay.
- Cancellation fee per person (*cf*): The fee that should be paid in case that the reservation is cancelled.
- Full payment deadline (*pd*): It indicates when the group of friends has to pay the booking.
- Discount in bar (*db*): As a token of respect for good clients, the hotel offers nice discounts at the hotel bar.

In our experimental setup, preference profiles are represented by means of additive utility functions in the form:

$$U_{p_i}(X) = w_{p_i,1}V_{p_i,1}(x_1) + \dots + w_{p_i,n}V_{p_i,n}(x_n) \quad (2)$$

where $w_{p_i,j}$ is the weight given by agent p_i to attribute j , $V_{p_i,j}$ is the valuation function for attribute j , and x_j is the value of attribute j in the offer X . The domain of the attribute values is continuous and scaled to $[0,1]$. It should be noted that all of the team members share the same type of monotonic valuation function for the attributes (monotonically increasing for payment deadline and discount, and decreasing for price and cancellation fee) so that there is potential for cooperation among team members. Despite this, team members give different weights to the negotiation issues. The type of valuation function for the opponent is the opposite type (increasing for price and cancellation fee, and decreasing for the payment deadline and the discount) and weights may be different too. The preference profiles of the agents can be found in Table 1. Even though SSV and RE are able to handle other types of domain where unpredictable attributes are present, we only use domains with predictable attributes in our analysis because FUM does not support domains having unpredictable attributes.

5.3 Experimental Setting

In order to evaluate the performance of the intra-team strategies introduced in Section 3, we set up a negotiation team

	w_{pd}	w_{cf}	w_{pp}	w_{db}
a_1	0.5	0.1	0.05	0.35
a_2	0.25	0.25	0.25	0.25
a_3	0.30	0.50	0.05	0.15
<i>op</i>	0.10	0.50	0.25	0.15

Table 1: Preference profiles used in the experiments. a_i represents team members and *op* represents the opponent.

consisting of three members that negotiates with each ANAC agent presented in Section 5.1. We tested the intra-team strategies with different parameters’ configurations: the FUM strategy where the concession speed of each team member is drawn from the uniform distribution $\beta_{a_i} = U[0.5, 0.99]$ (FUM Boulware or FUM B) or $\beta_{a_i} = U[0.01, 0.4]$ (FUM Very Boulware or FUM VB), the SSV strategy where $\beta_{a_i} = U[0.5, 0.99]$ (SSV Boulware or SSV B) or $\beta_{a_i} = U[0.01, 0.4]$ (SSV Very Boulware or VB), and the representative approach employing Agent K as the negotiation strategy (RE K). Both parties have a shared deadline $T = 180$ seconds. If the deadline is reached and no final agreement has been found, both parties get a utility equal to 0.

In the experiments, each intra-team strategy was faced against each ANAC agent 10 different times to capture stochastic differences in the results. Out of those 10 repetitions, half of the times the initiating party was the team, and the other half the initiating party was the ANAC agent. We gathered information on the average utility of team members in the final agreement, and the joint utility of both parties (product of utilities of team members and opponent). A one-way ANOVA ($\alpha = 0.05$) and a post-hoc analysis with Tukey’s test was carried out to assess the differences in the averages.

5.4 Results

One of the goals of this paper is identifying which intra-team strategies work better against different opponents. Therefore, we start by analyzing the results for the average utility of team members in Table 2. The results in bold font indicate which intra-team strategy obtains statistically better results according to ANOVA ($\alpha = 0.05$) and post-hoc analysis with Tukey’s test. As expected, all of the intra-team strategies, especially when their concession speed is very boulware, get higher average utility for team members while negotiating with an opponent employing a conceder strategy like Agent Smith than while negotiating with competitive opponents like AgentK, IAMHaggler, and IAMCrazy-Haggler. This result supports the observation of [2] that a successful negotiating agent, if we only consider a single negotiation with the opponent (short term relationship), should behave competitively, especially against cooperative strategies.

When the opponent is a conceder (Agent Smith), we observe that, in our experiments, the best intra-team strategies are those that wait as much as possible to concede and exploit the opponent. We refer to FUM and SSV strategies employing a very Boulware time tactic (FUM VB and SSV VB). Both, FUM VB and SSV VB statistically get the same average for the average utility of team members². This can be explained due to the fact that the conceder agent has fully

²One-way ANOVA alpha=0.05 and a post-hoc Tukey test

	Competitive			Matcher	Conceder
	Crazy	Haggler	K	TFT	Smith
FUM B	0.19	0.38	0.29	0.72	0.68
FUM VB	0.16	0.42	0.65	0.72	0.97
RE K	0.00	0.26	0.57	0.70	0.86
SSV B	0.14	0.34	0.36	0.45	0.57
SSV VB	0.08	0.36	0.57	0.44	0.98

Table 2: The table shows the average of the average utility for team members in the final agreement. Crazy: IAMCrazyHaggler, Haggler: IAMHaggler, K: Agent K, TFT: Nice Tit-for-Tat, Smith: Agent Smith, B: $\beta = U[0.5, 0.99]$, VB: $\beta = U[0.01, 0.49]$

conceded before FUM and SSV VB have started to concede. Since a concession from the opponent generally results in all of the team members increasing their welfare, these intra-team strategies perform similarly even though they ensure different levels of unanimity regarding team decisions. A representative using agent K also performs reasonably well due to the same reason. However, since only one of the team members takes decisions, it may not reach an average utility comparable to the ones obtained by FUM VB and SSV VB.

When the opponent is a matcher, it is observed that employing FUM strategies (B and VB) and a representative strategy with a competitor representative (RE K) results in higher average utility for the team than employing SSV strategies (B and VB). According to the one-way ANOVA test, the performances of FUM strategies (B and VB) and RE K are statistically and significantly better than those of SSV strategies (B and VB). The fact that SSV does not guarantee unanimity regarding team decisions had an important impact on the average utility of team members when faced against Nice Tit-for-Tat. There are no significant differences between FUM B, FUM VB, and RE K. Even though using an Agent K representative guarantees less unanimity regarding team decisions than other intra-team strategies, it is shown that, against certain types of opponents, a representative with a competitor negotiation strategy may be enough in practice to achieve results comparable to results obtained by strategies that guarantee unanimity like FUM.

When the opponent is a competitor, team strategies that employ FUM VB and SSV VB perform better than their correspondents, FUM B and SSV B respectively. That is, if the opponent is competitive, taking a competitive approach and conceding less results in better average team utility than taking cooperative approaches. In any case, we can observe that the average utility obtained by team members in some competitive settings (i.e., against Haggler and IAMCrazyHaggler) is way lower than the one obtained by the same intra-team strategies against conceders or matchers. This suggests the necessity to explore new intra-team strategies that are able to cope with some competitor agents. If we compare the performances of FUM VB and SSV VB, the results show that the team using FUM VB gathers higher utility on average than the case of SSV VB. The fact that both FUM approaches are at the top may be explained due to the fact that its mechanisms ensures that all of the team members are satisfied with those offers sent to the opponent and offers sent by the opponent. Note that when the

was carried out to support our claims.

	Competitive			Matcher	Conceder
	Crazy	Haggler	K	TFT	Smith
FUM B	0.005	0.04	0.03	0.17	0.16
FUM VB	0.004	0.06	0.15	0.17	0.04
RE K	0.00	0.05	0.11	0.15	0.09
SSV B	0.002	0.03	0.04	0.07	0.10
SSV VB	0.001	0.04	0.10	0.04	0.02

Table 3: The table shows the average for the joint utility (product) of team members and opponent in the final agreement.

opponent is IAMCrazyHaggler, which is a take it or leave it strategy, FUM B gets a higher average for the average utility of team members, but there is no statistically and significant difference with the second runner, FUM VB. In any case, FUM B is statistically different that the rest of intra-team strategies. In this case, RE K is not capable of retaining an average utility for team members comparable to FUM VB and SSV VB. In fact, all of the negotiations between RE K and IAMCrazyHaggler failed.

Our second evaluation metric is the joint utility of the final agreement³. The joint utility of all of the participants is a crucial metric in situations where both parties not only want to get a deal, but also build a long term relationship and engage in multiple negotiations in the future. An agent that has been exploited in the negotiation process may be reluctant to negotiate with the same team/opponent in the future. Table 2 shows the average for the joint utility in the final agreement. The best intra-team strategies for each opponent in the average utility case, are also the best intra-team strategies in the joint utility case. The only exception to this rule is the conceder case. In that scenario, the best results are obtained by employing FUM with a Boulware strategy instead of exploiting the opponent with very Boulware strategies (FUM VB, SSV VB). Thus, if a long term relationship is to be built with conceder agents, it may be wise to employ more concessive intra-team strategies. Very Boulware strategies exploit the opponent, and get very high results for the average utility of team members, but they do not allow the opponent to get high utilities, which results in low joint utilities. On average the highest joint utility is gathered when the team employs a FUM strategy against to a matcher opponent namely, Nice Tit for Tat. Since a matcher matches its opponent, TFT matches its behavior with FUM. Even if FUM concedes slowly over time, TFT will also concede, precluding both parties from being exploited. In competitive settings, FUM needs to adjust its concession speed (very Boulware for IAMHaggler and Agent K, and Boulware for IAMCrazyHaggler) to be able to get the most for the joint utility, and, still, the results are specially low against Hagglers. This again suggests the necessity to explore new intra-team strategies that are able to cope with some competitor agents.

6. CONCLUSIONS AND FUTURE WORK

This paper presents preliminary results on the performance of existing intra-team strategies for bilateral negotiations against heterogeneous opponents: competitors, conceders, and matchers. According to our analysis, the intra-team

³The product of the utilities of each team member and the opponent

strategies like Full Unanimity Mediated (FUM), Simple Similarity Voting (SSV) and Representative (RE) are able to negotiate with different success against different types of heterogeneous opponents. For the average utility of team members on the final agreement and the joint utility of both parties, we found initial results that are similar. In the case of conceders, FUM and SSV seem the best options as long as they wait for the opponent to concede and exploit conceders. In the case of matchers, using either FUM or RE employing Agent K's negotiation strategy seem the best choices. This suggests that, for certain types of opponents, a representative approach with an appropriate negotiation strategy may be enough in practice. Finally, the results against competitors show that while strategies like FUM obtain reasonably good results against some competitors like Agent K, all of them suffer from exploitation against other competitor agents like IAMHaggler and IAMCrazyHaggler. Since existing intra-team strategies such as FUM and SSV employ time tactics, they are inclined to concede during the negotiation. This may suggest that new intra-team strategies are needed to tackle negotiations against a broader set of competitors.

Additionally, we have extended the well-known negotiation testbed, GENIUS to support bilateral negotiations where at least one of the parties is a team. The extension allows developers to design their own intra-team strategies by extending the type of mediator used by the team and the type of team member. We expect that by extending GENIUS with negotiation teams, the research in negotiation teams will further advance and facilitate research.

For future work, we consider designing intra-team negotiation strategies that analyze the behavior of opponent and act accordingly. If a team understands that the opponent is cooperative, the team may act cooperatively and find a mutually acceptable agreement early. Otherwise, if the opponent is a competitor, the team may decide to take a strong position and not concede during the negotiation.

7. ACKNOWLEDGMENTS

One part of this research is supported by TIN2011-27652-C03-01, TIN2009-13839-C03-01, and FPU grant AP2008-00600 awarded to Victor Sanchez-Anguix. Other part of this research is supported by the Dutch Technology Foundation STW, applied science division of NWO and the Technology Program of the Ministry of Economic Affairs; the Pocket Negotiator project with grant number VICI-project 08075 and the New Governance Models for Next Generation Infrastructures project with NGI grant number 04.17. We would also like to thank Tim Baarslag due to his helpful and valuable comments and feedback about GENIUS.

8. REFERENCES

- [1] T. Baarslag, K. Hindriks, C. Jonker, S. Kraus, and R. Lin. The first automated negotiating agents competition (anac 2010). *New Trends in Agent-Based Complex Automated Negotiations*, pages 113–135, 2010.
- [2] T. Baarslag, K. V. Hindriks, and C. M. Jonker. Towards a quantitative concession-based classification method of negotiation strategies. In *Agents in Principle, Agents in Practice. Lecture Notes of The 14th International Conference on Principles and Practice of Multi-Agent Systems*, 2011.
- [3] S. Brodt and L. Thompson. Negotiating teams: A levels of analysis. *Group Dynam.*, 5(3):208–219, 2001.
- [4] P. Faratin, C. Sierra, and N. R. Jennings. Negotiation decision functions for autonomous agents. *Robot. Autonom. Syst.*, 24(3-4):159–182, 1998.
- [5] P. Faratin, C. Sierra, and N. R. Jennings. Using similarity criteria to make issue trade-offs in automated negotiations. *Artif. Intell.*, 142:205–237, 2002.
- [6] K. Fujita, T. Ito, and M. Klein. Secure and efficient protocols for multiple interdependent issues negotiation. *J. Intell. Fuzzy Syst.*, 21(3):175–185, 2010.
- [7] K. Hindriks, C. Jonker, and D. Tykhonov. The benefits of opponent models in negotiation. In *Proceedings of the 2009 IEEE/WIC/ACM international joint conference on Web Intelligence and Intelligent Agent Technology*, pages 439–444, 2009.
- [8] C. M. Jonker and J. Treur. An agent architecture for multi-attribute negotiation. In *17th International Joint Conference on Artificial Intelligence*, pages 1195–1201, 2001.
- [9] S. Kawaguchi, K. Fujita, and T. Ito. Compromising strategy based on estimated maximum utility for automated negotiation agents competition. In *Modern Approaches in Applied Intelligence*, volume 6704, pages 501–510. Springer Berlin / Heidelberg, 2011.
- [10] G. Lai, K. Sycara, and C. Li. A decentralized model for automated multi-attribute negotiations with incomplete information and general utility functions. *Multiagent and Grid Systems*, 4(1):45–65, 2008.
- [11] R. Lin, S. Kraus, T. Baarslag, D. Tykhonov, K. Hindriks, and C. M. Jonker. Genius: An integrated environment for supporting the design of generic automated negotiators. *Comput. Intell.*, 2012.
- [12] V. Sanchez-Anguix, V. Julian, V. Botti, and A. Garcia-Fornes. Reaching Unanimous Agreements within Agent-Based Negotiation Teams with Linear and Monotonic Utility Functions. *IEEE Trans. Syst. Man Cybern. Part B-Cybern.*, 2012.
- [13] V. Sanchez-Anguix, V. Julian, V. Botti, and A. Garcia-Fornes. Analyzing Intra-Team Strategies for Agent-Based Negotiation Teams. In *10th International Conference on Autonomous Agents and Multiagent Systems*, pages 929–936, 2011.
- [14] M. Tambe and H. Jung. The benefits of arguing in a team. *AI Magazine*, 20:85–92, 1999.
- [15] L. Thompson, E. Peterson, and S. Brodt. Team negotiation: An examination of integrative and distributive bargaining. *J. Pers. Soc. Psychol.*, 70:66–78, 1996.
- [16] N. van Galen Last. Agent smith: Opponent model estimation in bilateral multi-issue negotiation. In *New Trends in Agent-Based Complex Automated Negotiations*, volume 383, pages 167–174. 2012.
- [17] C. R. Williams, V. Robu, E. H. Gerding, and N. R. Jennings. Iamhaggler: A negotiation agent for complex environments. In *New Trends in Agent-based Complex Automated Negotiations, Series of Studies in Computational Intelligence*, volume 383, pages 151–158, 2010.